



# Pond Liners & Water Containment



[www.gordonlowproducts.co.uk](http://www.gordonlowproducts.co.uk)



## Case Study - Waterscape Solutions

The stunning RHS Garden Wisley formal lily ponds, re-lined by Kingcombe Aquacare using Firestone PondGard 1.02mm Pond Liner.

Location: **RHS Garden Wisley, Woking, Surrey.**

Product: **Firestone PondGard Pond Liner**

Installer: **Kingcombe Aquacare**

# THE POND LINER MANUFACTURER



Gordon Low Products is the leading UK supplier of flexible waterproof liners and containment solutions for any scale of aquatics or water management project, be it a modest garden pond, landscaped lake or five-hectare reservoir.

Our expertise, product knowledge and exceptional customer service has been developed over fifty years of trading and today we are a trusted supplier, our products being specified by landscape architects, designers, engineers, installers and consultants for projects in the UK and abroad.

In the retail industry our Pond Liner ranges are carried by leading aquatics and garden centres throughout the country. For civil engineering projects and horticulture, we provide an extensive range of galvanised steel water storage tanks and liners.

For the commercial, domestic and leisure industry we supply bespoke tailor made liners, from a simple rectangle to a more complex design with steps and sumps, providing crease free solutions to the most complicated plans.

## Solutions

### Pond Liner Retail Solutions

Our range of Pond Liners includes liners to meet all of your customers' requirements and all are of the highest quality and specification within their range giving excellent value for money.

### Tailor Made Solutions

A tailor made liner is simply a prefabricated Pond Liner made to your exact dimensions to fit like a glove into your pond construction. All seams are full overlap factory welds (hot bond vulcanised) for maximum strength, so there are no folds or site seaming required during installation.

### Lake Liner Solutions

Our unique manufacturing system allows us to make single sheet liners up to 1800m<sup>2</sup> in 0.75mm or 1400m<sup>2</sup> in 1.00mm SealEco EPDM or Butyl. We also supply Firestone GeoGard 1.14mm Geomembrane sheets.

### Seaming Solutions

We stock a comprehensive range of tapes and adhesives for joining sheets and attaching rills and waterfalls. The simple seaming process guarantees a watertight seal and is also used on large commercial projects.

### Water Tanks

We supply a large range of surface mounted water tanks for water management in horticulture, agriculture, sports grounds, etc. and for fish keeping and aquatics. Our tanks are also supplied to Aid Agencies where compact shipping and easy erection is essential for setting up emergency water supplies in disaster areas and irrigation schemes in developing parts of the world.

## Products

### SealEco EPDM Pond Liner

0.75mm 1.00mm

### SealEco Butyl Pond Liner

0.75mm 1.00mm

### Firestone PondGard EPDM

1.02mm

### Firestone GeoGard EPDM

1.14mm

### Gordon Low PVC Pond Liner

0.50mm

### Geotextile Underlay

150gsm & 250gsm





## Case Study - Pond Liner Solutions

Natural Swimming Pond installed by Cornwall Ponds using our Firestone EPDM 1.5.25m x 30.5 and 250gsm Geotextile Underlay. This wildlife pond is a vital natural habitat for wildlife but is also naturally filtered and so clear you can swim in it, that's the idea behind a swimming pond.

Our Firestone PondGard Pond Liners are tough enough for swimming ponds and the range of Quick-Seam accessories such as termination systems and seaming products allow liners to be cut and joined on-site by trained installers.

Location: **Hampshire**  
Products: **Firestone 1.02mm PondGard**  
Installers: **Cornwall Ponds**

# POND LINER RETAIL SOLUTIONS

## PONDLINER

Pre packed Pond Liners by Gordon Low - A large range of popular pre-cut sizes attractively and protectively packaged with clear product labelling giving information on product material, liner size, item weight, barcode etc. The colourful wrap includes Pond Liner fitting instructions.

Our range of heavy duty shelving units and informative POS banners will not only hold your stock of pre packed liner and underlay, but the user friendly information panel will allow customers to make informed decisions on liner and underlay size selection. Our PVC pre pack stand takes up minimal space and holds 47 of our most popular liners. The informative header includes how many gallons held and how many packs of underlay go with each liner.

Our ever popular Mini Roll Stand holds four rolls of liner from our large range of EPDM and PVC pond liner, utilising less than 1m<sup>2</sup> of shop floor space, our stands are a very efficient dispenser.



## Product Range

### SealEco EPDM Pond Liner 0.75mm and 1.00mm

An EPDM Liner of exceptional quality produced in Sweden. Pond Liner sheets are fabricated in our factory to just about any size your customer needs. Also available in pre packs for retail display and in rolls to fit our Mini Roll Stand. Used extensively by landscapers and civil engineers this liner offers good flexibility and durability.



### Firestone EPDM PondGard 1.02mm

A rugged heavy duty liner available on the roll and in attractively packed pre packs. This 1.02mm thick liner is durable and offers dependable performance for many applications including garden wildlife ponds, water features, lakes and lagoons.

### Gordon Low PVC Pond Liner 0.50mm

Our economical high quality PVC Pond Liner is suitable for small to medium ponds, having excellent flexibility and high puncture resistance. All rolls come with an integral tape measure and are individually wrapped for outside storage.

### SealEco Butyl Pond Liner 0.75mm and 1.00mm

A traditional favourite now generally superseded by SealEco Greenseal EPDM suitable for projects where budget restrictions do not apply.

### Geotextile Underlay 250gsm and 150gsm

Both grades are available in rolls to fit the Mini Roll Stand and the 150gsm in pre packs of 2m x 5m for retail display. No better way to protect your liner from sharp stones and roots.



# POND LINER SOLUTIONS



## SealEco Pond Liner

EPDM 0.75mm (Greenseal)

SealEco EPDM Pond Liner 0.75mm Pre-Packed Sheets
2.0m x 2.0m
2.0m x 2.5m
2.0m x 3.0m
2.5m x 2.5m
2.5m x 3.0m
2.5m x 3.5m
2.5m x 4.0m
2.5m x 5.0m
3.0m x 3.0m
3.0m x 3.5m
3.0m x 4.0m
3.0m x 4.5m
3.0m x 5.0m
3.5m x 4.0m
4.0m x 4.0m
4.0m x 4.5m
4.0m x 5.0m
4.0m x 5.5m
4.0m x 6.0m
5.0m x 5.0m
5.0m x 5.5m
5.0m x 6.0m
5.0m x 6.5m
5.0m x 7.0m
5.0m x 7.5m
5.0m x 8.0m
6.0m x 6.0m
6.0m x 6.5m

SealEco EPDM Pond Liner 0.75mm Standard Rolls
2.0m x 20m
3.0m x 20m
4.0m x 20m
5.0m x 20m
6.0m x 20m
7.0m x 20m
8.0m x 20m
2.0m x 40m
3.0m x 40m
4.0m x 40m
5.0m x 40m
6.0m x 40m
7.0m x 40m
8.0m x 40m



## Firestone PondGard

EPDM Geomembrane 1.02mm

Firestone PondGard 1.02mm Half width rolls to fit Mini Roll Stands	
(10' x 50')	3.05m x 15.24m
(12' x 50')	3.66m x 15.24m
(14' x 50')	4.27m x 15.24m
(16' x 50')	4.88m x 15.24m
(20' x 50')	6.10m x 15.24m

Firestone PondGard 1.02mm 30.48m (100') long rolls for Landscapers and Installers	
(10' x 100')	3.05m x 30.48m
(12' x 100')	3.66m x 30.48m
(14' x 100')	4.27m x 30.48m
(16' x 100')	4.88m x 30.48m
(20' x 100')	6.10m x 30.48m
(25' x 100')	7.62m x 30.48m



# POND LINER SOLUTIONS

## PVC Pond Liner

0.5mm

Our economical high quality PVC Pond Liner is suitable for small to medium ponds, having excellent flexibility and high puncture resistance.

All rolls come with an integral tape measure and are individually wrapped for outside storage. Re-rolled to fit our mini roll stand that takes up less than a square metre of valuable shop floor space. Our PVC Pond Liner carries a lifetime guarantee on sizes up to 140m<sup>2</sup> and a 20 year guarantee on larger sizes.

The full range of rolls and pre-packs are available on next day delivery.



## Geotextile Underlay

### Non-woven Polypropylene 150gsm & 250gsm

Mechanically bonded, non-woven polypropylene geotextiles provide a highly effective protective barrier between substrate and liner. We recommend that our underlay is used beneath all our liners, not only to help protect liners from penetration by sharp stones, roots, etc, but also to reduce excessive localised stretching of the liner.

Geotextile Underlay Standard Rolls	
150gsm	250gsm
2.0m x 25m	2.0m x 30m
2.0m x 200m	2.0m x 150m

Geotextile Underlay Pre-cut Stock	
150gsm & 250gsm	
2.0m x 2.0m	2.0m x 7.0m
2.0m x 3.0m	2.0m x 8.0m
2.0m x 4.0m	2.0m x 9.0m
2.0m x 5.0m	2.0m x 10.0m
2.0m x 6.0m	

PVC Pond Liner 0.5mm Pre-Packed Sheets
2.0m x 2.0m
2.0m x 2.5m
2.0m x 3.0m
3.0m x 2.5m
3.0m x 3.0m
3.0m x 3.5m
3.0m x 4.0m
3.0m x 5.0m
4.0m x 3.5m
4.0m x 4.0m
4.0m x 4.5m
4.0m x 5.0m
4.0m x 6.0m
4.0m x 8.0m
5.0m x 5.0m
5.0m x 6.0m
5.0m x 7.0m
6.0m x 6.0m
6.0m x 7.0m
6.0m x 8.0m
7.0m x 7.0m
7.0m x 8.0m
7.0m x 10.0m
8.0m x 8.0m
8.0m x 10.0m

PVC Pond Liner 0.5mm Standard Rolls
2.0m x 25m
3.0m x 25m
4.0m x 25m
5.0m x 25m
6.0m x 25m
7.0m x 25m
8.0m x 25m
10.0m x 25m
12.0m x 25m





## Case Study - Tailor Made Solutions

This lovely formal water feature is made up of a stepped rill leading to a tailor made circular feature pond. All made to a drawing supplied by AquaJoy and includes a 150mm horizontal flange for termination under the paving slabs.

Location: **West Sussex**  
Products: **SealEco EPDM**  
Installers: **AquaJoy Ltd**



A box-welded liner is simply a prefabricated Pond Liner made to your exact dimensions to fit like a glove into your pond construction. All seams are full overlap factory welds (hot bond vulcanised) for maximum strength, so there are no folds or site seaming required during installation.

There are many advantages to tailor made liners including: A perfectly fitted pond eliminating unsightly folds, produced to order to your dimensions, quick and easy to install.





# TAILOR MADE SOLUTIONS FROM GORDON LOW


## TAILOR MADE

Pond Liners can be made bespoke to fit virtually any shape or size of pond or water feature. We simply tailor make a liner to your sketch or customers drawing, incorporating shelves, steps and overlaps during manufacture so there is no cutting or joining required on installation.

After constructing the pond or water feature simply take exact measurements and the liner is made to fit in either 0.75mm or 1.0mm SealEco EPDM or Butyl liner. They are tough and durable with no ugly folds or creases.

We recommend the use of an underlay for all Pond Liners, please ask for details. We fabricate to customer specifications on supply of a dimensioned sketch – our manufacturing is generally 3 to 5 days.





## Case Study - Lake Liner Solutions

A stunning Lake construction by WaterGems (ALBA) Ltd. This project for a private client in Scotland, comprised four Pond Liner panels each 1.5m x 30m Firestone PondGard sheets joined on site using the Firestone QuickSeam™ system.

Location: **Scotland**  
Products: **Firestone PondGard**  
Installers: **WaterGems (ALBA) Ltd**

# LAKE LINER SOLUTIONS

## LAKELINER

Our SealEco EPDM is available in sheets up to 1800m<sup>2</sup> as single panels and can be site welded for larger projects. Our Firestone PondGard is available in single panels of 465m<sup>2</sup> and can be joined on site using the Firestone Seaming System. We have registered installers all over the UK and run a Firestone approved training school.

### SealEco EPDM Pond Liner (Greenseal) 0.75mm and 1.00mm

EPDM (ethylene-propylene-diene-monomer) possesses unique properties that have been proven over many years. The unique molecular structure of EPDM means ageing or changes in characteristics are negligible despite decades of exposure to the environment, UV radiation and ozone.

Vulcanisation during the manufacturing process means that the material differs from thermoplastic membranes in that its properties are not affected by major temperature fluctuations. The liners remain highly flexible even at very low temperatures (down to -40C) enabling year round installation in a variety of climates and terrain.

### Firestone PondGard/GeoGard EPDM Geomembrane 1.02mm and 1.14mm

Firestone PondGard offers dependable performance for many applications including garden ponds, landscape products, and irrigation canals. Proven reliability in thousands of exposed applications makes it the perfect choice of liner for any project. Firestone PondGard is available on the roll and in a huge range of pre-cut sizes all of which are available on a next day service.

Firestone GeoGard EPDM is our more commercial product used for demanding applications including: irrigation reservoirs, canals, effluent containment, landfill covers, waste water containment, fire fighting water storage etc.

This is our thickest and heaviest liner, only available as full roll sizes up to 15.24m (50ft) x 30.48m (100ft).



# LAKE LINER SOLUTIONS



## SealEco EPDM Pond Liner (Greenseal) 0.75mm

This material is produced in Sweden by SealEco who over the last 35 years have produced in excess of 45 million square metres of Geomembrane for worldwide distribution.

SealEco EPDM is a liner of exceptional quality, having similar physical characteristics to Butyl rubber Pond Liner.

EPDM is not affected by UV light; it remains stable with advancing years regardless of temperatures from -40C to +80C without shrinkage, brittleness or cracking. Used extensively by landscapers and civil engineers for lakes, canals, tank liners and reservoirs, its sheer durability and flexibility makes it the perfect choice for any landscape project.

Our unique prefabrication process, coupled with our in house design and patented vulcanising presses, allows us to manufacture liners up to 1800m<sup>2</sup> in one piece.

SealEco EPDM Pond Liner 0.75mm Example widths and maximum lengths	SealEco EPDM Pond Liner 0.75mm Example large sheet sizes manufactured in one piece
2.0m x 40m	21.0m x 60m
3.0m x 40m	22.0m x 60m
4.0m x 40m	23.0m x 60m
5.0m x 40m	24m x 60m
6.0m x 40m	25m x 60m
7.0m x 40m	26m x 60m
8.0m x 40m	28m x 60m
9.2m x 40m	29m x 60m
10.9m x 40m	30m x 60m
12.1m x 40m	31m x 58m
14.2m x 40m	32m x 56m
15.1m x 40m	33m x 54m
16.4m x 40m	34m x 52m
18.1m x 40m	35m x 51m
20.1m x 40m	36m x 50m
23.1m x 40m	37m x 48m
26.0m x 40m	38m x 47m
28.9m x 40m	39m x 46m
	40m x 45m



# LAKE LINER SOLUTIONS



## Firestone PondGuard EPDM Geomembrane 1.02mm

Firestone PondGuard offers dependable performance for many applications including garden ponds, landscape products, effluent containment and irrigation canals. Proven reliability in thousands of exposed applications makes it the perfect choice of liner for any project. Firestone PondGuard is available on the roll and in a huge range of pre-cut sizes all of which are available on a next day service. Firestone PondGuard carries a guarantee of 20 years; liners below 140m<sup>2</sup> have a lifetime guarantee.

## Firestone On-site Seaming

For larger projects the Firestone QuickSeam system of adhesives and tapes is used to join multiple sheets and to terminate liner to hard features. Our network of qualified installers has proved invaluable to our expanding lake and reservoir business, enabling us to pass valuable enquiries to landscapers all over the country. We offer in-house seaming courses for landscapers that cover basic seaming and more advanced techniques such as pipe sleeves.

### Firestone PondGuard 1.02mm

Pre-cut sheets

Available in any of the widths listed below in maximum lengths of 30.48m (100')

(10')	3.05m x max 30.48m (100')
(12')	3.66m x max 30.48m (100')
(14')	4.27m x max 30.48m (100')
(16')	4.88m x max 30.48m (100')
(20')	6.10m x max 30.48m (100')
(25')	7.62m x max 30.48m (100')
(30')	9.14m x max 30.48m (100')
(36')	10.97m x max 30.48m (100')
(40')	12.19m x max 30.48m (100')
(50')	15.24m x max 30.48m (100')





## Case Study - Seaming Solutions

A natural swimming pond created with a flat sheet liner. Installation required corner detailing to create fold free smooth finish for the swimming zone.

Location: **Dorset**

Products: **Firestone PondGard EPDM Liner**

Installer: **Cornwall ponds**

# SEAMING PRODUCTS & ACCESSORIES

## SEAMING

We run flexible courses for landscapers, contractors and specialist retailers, fully tailored to your needs, run on site by the industry experts. Learn about seaming methods to install a 500m<sup>2</sup> – 12,000m<sup>2</sup> + ornamental lakes. Corner detailing for vertical walls and formal swimming ponds. Installing a pipe-sleeve and upstands. Joining a stream or waterfall liner to a main pond. Creating exciting shapes and minimize material waste. No need to sub contract when you can joint it yourself.

### Tapes and Adhesives


We stock a comprehensive range of tapes and adhesives for joining sheets and attaching rills and waterfalls. The simple seaming process guarantees a watertight seal and is also used on large commercial projects.

### Pipe Entries

The Firestone QuickSeam pipe sleeve fits various pipe penetrations from 25mm to 175mm. For all other diameters we fabricate a 'top hat' section to suit. Splice tape and primer are included for a watertight seal.

### Repair Kit

The Firestone rubber repair kit is ideal for small punctures and tears. The kit includes two 150mm square patches, primer, seam roller and protective gloves. A simple application process ensures a watertight seal.



### Products and Accessories

Product Description
Cold Glue Tape - 50mm x 10m
Splice Adhesive - 250ml tin
Quickprime Plus - 125ml/250ml tin
Formflash Repair Tape/m
Quickseam Splice Tape/m
Quickseam Repair Kit
Quickseam 75mm Splice Tape Roll (30.5m)
Quickprime Plus Tin, 3.78L (coverage approx 60m linear)
Splice Wash 19L (5 US Gal) Tin
Bonding Adhesive 10L Tin (coverage approx. 20m <sup>2</sup> )
Quickseam 230mm (9") Formflash Roll (15.25m)
Lap Sealant Cartridge (coverage approx 6m linear)
Water-block Sealant Cartridge (coverage approx 3m linear)
Aluminium Termination Bar, 3m length
Quickscrubber Kit, 30 pads & 4 handles
Universal Pipe Sleeve, 25m to 175mm diameter



## Case Study - Water Tank Solutions

Sectional steel water tank 24ft diameter by 7ft 6" high fixed to a concrete base. Lined with SealEco 1.0mm EPDM tailor made cylindrical liner and fitted with steel lid.



# WATER TANKS & LINERS

## WATER TANKS

We supply a large range of surface mounted water tanks for use in horticulture irrigation, sports ground irrigation, aquaculture, agriculture and ornamental fish keeping. Our tank liners are also used by Aid Agencies where compact shipping and ease of erection are essential when setting up emergency water supplies. With 50 years' experience in the tank and lining market we are able to offer a variety of materials for a wide range of applications.

### Quality construction – easy erection

Constructed from corrugated galvanised steel panels to BS2989, the tank kit is supplied with all necessary hardware and a tailor made liner in either SealEco EPDM or Butyl Rubber. Liners are either 0.75mm or 1.00mm thick depending on the tank height and application. The tanks are designed to be erected on a concrete base and secured using the anchor brackets supplied in the kit.

### Potable Water Tank Liners – WRc Approved

We are able to supply 1.00mm thick drinking water quality liners. This lining material is WRc approved and has been tested to the Water Regulations Advisory Scheme standard BS6920. As well as the circular water storage tank liners we are also able to fabricate box section liners for other drinking water applications.

### Replacement liners

For refurbishment of existing installations, we can fabricate replacement liners. Most tank sizes can be accommodated, circular or rectangular.

### Geotextile Underlay

For ultimate durability we recommend that a layer of Geotextile Underlay is placed within the steel structure prior to fitting the liner.



# WATER TANKS & LINERS

## Water Tanks, Liners & Complete Water Tank Kits

The table shown lists our standard range of storage tanks and liners. Sizes range from 1.83m (6') to 14.63m (48') diameter with tank heights from 0.76m (2'6") to 3.05m (10'). Please note that we can supply tanks and liners up to 22m (72') diameter with a maximum capacity of 865,000 litres. We supply a range of liners for a variety of purposes as follows:

### SealEco EPDM 0.75mm & 1.00mm

SealEco EPDM has exceptional resistance to UV and ozone ageing. With all the benefits of Butyl and better physical strength SealEco is the material of choice for horticultural and sports ground irrigation. We recommend the use of 1.00mm SealEco for 4 ring high (3.05m) water storage tanks.

Gordon Low Tank Kits			
Available with EPDM, Butyl or Potable Liners			
Tank Model Kit	Capacity Litres	Diameter	Height
6/1/WT	1601	1.83m (6')	0.76m (2'6")
6/2/WT	3602	1.83m (6')	1.52m (5'0")
6/3/WT	5603	1.83m (6')	2.29m (7'6")
6/4/WT	7605	1.83m (6')	3.05m (10'0")
9/1/WT	3602	2.74m (9')	0.76m (2'6")
9/2/WT	8105	2.74m (9')	1.52m (5'0")
9/3/WT	12608	2.74m (9')	2.29m (7'6")
9/4/WT	17111	2.74m (9')	3.05m (10'0")
12/1/WT	6404	3.66m (12')	0.76m (2'6")
12/2/WT	14409	3.66m (12')	1.52m (5'0")
12/3/WT	22414	3.66m (12')	2.29m (7'6")
12/4/WT	30419	3.66m (12')	3.05m (10'0")
15/1/WT	10006	4.57m (15')	0.76m (2'6")
15/2/WT	22514	4.57m (15')	1.52m (5'0")
15/3/WT	35022	4.57m (15')	2.29m (7'6")
15/4/WT	47530	4.57m (15')	3.05m (10'0")
18/1/WT	14409	5.49m (18')	0.76m (2'6")
18/2/WT	32420	5.49m (18')	1.52m (5'0")
18/3/WT	50431	5.49m (18')	2.29m (7'6")
18/4/WT	68443	5.49m (18')	3.05m (10'0")

Gordon Low Tank Kits (contd)			
Available with EPDM, Butyl or Potable Liners			
Tank Model Kit	Capacity Litres	Diameter	Height
21/1/WT	19612	6.40m (21')	0.76m (2'6")
21/2/WT	44128	6.40m (21')	1.52m (5'0")
21/3/WT	68643	6.40m (21')	2.29m (7'6")
21/4/WT	93158	6.40m (21')	3.05m (10'0")
24/1/WT	25616	7.31m (24')	0.76m (2'6")
24/2/WT	57636	7.31m (24')	1.52m (5'0")
24/3/WT	89656	7.31m (24')	2.29m (7'6")
24/4/WT	121676	7.31m (24')	3.05m (10'0")
27/1/WT	32420	8.23m (27')	0.76m (2'6")
27/2/WT	72945	8.23m (27')	1.52m (5'0")
27/3/WT	113471	8.23m (27')	2.29m (7'6")
27/4/WT	153996	8.23m (27')	3.05m (10'0")
30/1/WT	40025	9.14m (30')	0.76m (2'6")
30/2/WT	90056	9.14m (30')	1.52m (5'0")
30/3/WT	140087	9.14m (30')	2.29m (7'6")
30/4/WT	190119	9.14m (30')	3.05m (10'0")
36/1/WT	57636	10.97m (36')	0.76m (2'6")
36/2/WT	129681	10.97m (36')	1.52m (5'0")
36/3/WT	201726	10.97m (36')	2.29m (7'6")
36/4/WT	273771	10.97m (36')	3.05m (10'0")
48/1/WT	102464	14.63m (48')	0.76m (2'6")
48/2/WT	230544	14.63m (48')	1.52m (5'0")
48/3/WT	358624	14.63m (48')	2.29m (7'6")
48/4/WT	486703	14.63m (48')	3.05m (10'0")

### Butyl 0.75mm and 1.00mm

Butyl is the most expensive product for tank lining, now superseded by our SealEco EPDM. Butyl tank liners are available in exactly the same sizes as the SealEco EPDM and are suitable for any project where budget restrictions do not apply.

### WRc approved Drinking Water Quality 1.00mm

This WRc approved material has been tested to the Water Regulations Advisory Scheme standard BS6920.

# WATER TANKS & LINERS

## Floating Covers

These covers are fabricated from tough 400 micron PVC with integral flotation bubbles. They offer a cost effective deterrent to algae growth and debris build up in your tank. Our standard covers are supplied in diameters from 2.74m (9') up to 10.97m (36') but larger sizes are available.

## Steel Lids

Our galvanised sectional steel roof has a 10 degree pitch and permanent centre support pole. It is also supplied with an access hatch and safety bars. We are able to supply a ball valve box wrapper if necessary. Our standard lids are supplied in diameters from 2.74m (9') up to 10.97m (36') but larger sizes are available.

## Tank Outlets

Galvanised steel BSP threaded tank outlets and Strainer/Filters and Brass Bodied Gate Valves. We keep a large stock of these very popular outlets.



Steel Lids & Floating Covers			
Model	Diameter	Lid	Cover
9/WT	2.74m (9')	✓	✓
12/WT	3.66m (12')	✓	✓
15/WT	4.57m (15')	✓	✓
18/WT	5.49m (18')	✓	✓
21/WT	6.40m (21')	✓	✓
24/WT	7.31m (24')	✓	✓
30/WT	9.14m (30')	✓	✓
36/WT	10.97m (36')	✓	✓

Tank Outlets			
Diameter	Take-off Units	Gate Valves	Strainers
50mm (2")	✓	✓	✓
50mm (3")	✓	✓	✓
50mm (4")	✓	✓	N/A





# GORDON LOW

## **Gordon Low Products**

Rookery Road, Wyboston, Bedfordshire, MK44 3UG  
Tel: 01480 405433 Fax: 01480 405434

[info@gordonlowproducts.co.uk](mailto:info@gordonlowproducts.co.uk)  
[www.gordonlowproducts.co.uk](http://www.gordonlowproducts.co.uk)